



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40813012-002  
Harvest/Lot ID: L0724-01  
Batch#: L0724-01  
Seed to Sale# NA  
Batch Date: 07/19/24  
Sample Size Received: 100 ml  
Total Amount: 250 units  
Retail Product Size: 100 ml  
Retail Serving Size: 100 ml  
Servings: 1  
Sample Density: 1.0 g/mL  
Ordered: 08/08/24  
Sampled: 08/13/24  
Completed: 08/16/24  
Sampling Method: SOP.T.20.010.FL

Aug 16, 2024 | Healthy Cann  
3925 N I-10 Service Rd W Ste 223  
Metairie, LA, 70002, US



**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**NOT TESTED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total CBD  
**2.054%**

Total CBD/Container : 2054.000 mg



CBG  
**0.438%**

CBG/Container : 438.000 mg



Total Cannabinoids  
**2.505%**

Total Cannabinoids/Container : 2505.000 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	2.054	ND	ND	0.438	ND	0.013	ND	<0.010	ND
mg/unit	ND	ND	2054.00	ND	ND	438.00	ND	13.00	ND	<10.00	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
3.0971g

Extraction date:  
08/14/24 11:16:33

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA076715POT  
Instrument Used : DA-LC-003  
Analyzed Date : 08/14/24 11:17:09

Reviewed On : 08/15/24 08:07:46  
Batch Date : 08/14/24 08:34:51

Dilution : 400  
Reagent : 080624.R05; 060723.24; 080624.R01  
Consumables : 947.109; 021824CH01; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
08/16/24



# Certificate of Analysis

**PASSED**

Healthy Cann


3925 N I-10 Service Rd W Ste 223  
Metairie, LA, 70002, US  
Telephone: (337) 344-1797  
Email: usaoperations@healthycannbr.com

Sample : DA40813012-002  
Harvest/Lot ID: L0724-01

Batch# : L0724-01  
Sampled : 08/13/24  
Ordered : 08/13/24

Sample Size Received : 100 ml  
Total Amount : 250 units  
Completed : 08/16/24 Expires: 08/16/25  
Sample Method : SOP Client Method

Page 2 of 6

 <b>Terpenes</b>				<b>TESTED</b>			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
HEXAHYDROTHYMOL	0.007	1285.00	1.285	ALPHA-TERPINEOL	0.007	ND	ND
TOTAL TERPENES	0.007	1285.00	1.285	ALPHA-TERPINOLENE	0.007	ND	ND
3-CARENE	0.007	ND	ND	BETA-CARYOPHYLLENE	0.007	ND	ND
BORNEOL	0.013	ND	ND	BETA-MYRCENE	0.007	ND	ND
CAMPHENE	0.007	ND	ND	BETA-PINENE	0.007	ND	ND
CAMPHOR	0.007	ND	ND	CIS-NEROLIDOL	0.003	ND	ND
CARYOPHYLLENE OXIDE	0.007	ND	ND	GAMMA-TERPINENE	0.007	ND	ND
CEDROL	0.007	ND	ND	TRANS-NEROLIDOL	0.005	ND	ND
EUCALYPTOL	0.007	ND	ND	Analyzed by: 3605, 585, 1440      Weight: 0.2339g      Extraction date: 08/14/24 10:35:10      Extracted by: 3605			
FARNESENE	0.001	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA076723TER      Reviewed On : 08/15/24 08:34:41 Instrument Used : DA-GCMS-004      Analyzed Date : 08/14/24 10:35:26      Batch Date : 08/14/24 08:55:57			
FENCHONE	0.007	ND	ND	Dilution : 10 Reagent : 032524.19 Consumables : 947.109; 230613-634-D; 280670723; CE123 Pipette : DA-065			
FENCHYL ALCOHOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAJOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
LIMONENE	0.007	ND	ND				
LINALOOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
ALPHA-BISABOLOL	0.007	ND	ND				
ALPHA-CEDRENE	0.005	ND	ND				
ALPHA-HUMULENE	0.007	ND	ND				
ALPHA-PHELLANDRENE	0.007	ND	ND				
ALPHA-PINENE	0.007	ND	ND				
ALPHA-TERPINENE	0.007	ND	ND				
<b>Total (%)</b>			<b>1.285</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
08/16/24



# Certificate of Analysis

**PASSED**

Healthy Cann


3925 N I-10 Service Rd W Ste 223  
Metairie, LA, 70002, US  
Telephone: (337) 344-1797  
Email: usaoperations@healthycannbr.com

Sample : DA40813012-002  
Harvest/Lot ID: L0724-01

Batch# : L0724-01  
Sampled : 08/13/24  
Ordered : 08/13/24

Sample Size Received : 100 ml  
Total Amount : 250 units  
Completed : 08/16/24 Expires: 08/16/25  
Sample Method : SOP Client Method

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOXYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.050	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.050	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.350	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.050	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.050	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.250	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.250	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.228g <b>Extraction date:</b> 08/14/24 13:53:42 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA076733PES <b>Reviewed On :</b> 08/15/24 17:49:34 <b>Instrument Used :</b> DA-LCMS-004 (PES) <b>Batch Date :</b> 08/14/24 09:24:05 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 081224.R06; 081424.R02; 081424.R01; 080924.R05; 072224.R19; 081424.R03; 081023.01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	<b>Analyzed by:</b> 450, 1665, 585, 1440 <b>Weight:</b> 0.228g <b>Extraction date:</b> 08/14/24 13:53:42 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) <b>Analytical Batch :</b> DA076736VOL <b>Reviewed On :</b> 08/15/24 17:39:19 <b>Instrument Used :</b> DA-GCMS-010 <b>Batch Date :</b> 08/14/24 09:27:43 <b>Analyzed Date :</b> 08/14/24 14:46:53 <b>Dilution :</b> 250 <b>Reagent :</b> 081424.R01; 081023.01; 071024.R46; 071024.R47 <b>Consumables :</b> 326250IW; 14725401 <b>Pipette :</b> DA-080; DA-146; DA-218					
FENHEXAMID	0.010	ppm	3	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	2	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND						
HEXYTHIAZOX	0.010	ppm	2	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND						
MALATHION	0.010	ppm	2	PASS	ND						
METALAXYL	0.010	ppm	3	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/16/24



# Certificate of Analysis

**PASSED**
**Healthy Cann**

 3925 N I-10 Service Rd W Ste 223  
 Metairie, LA, 70002, US  
 Telephone: (337) 344-1797  
 Email: usaoperations@healthycannbr.com

**Sample : DA40813012-002**  
**Harvest/Lot ID: L0724-01**
**Batch# : L0724-01**  
**Sampled : 08/13/24**  
**Ordered : 08/13/24**
**Sample Size Received : 100 ml**  
**Total Amount : 250 units**  
**Completed : 08/16/24 Expires: 08/16/25**  
**Sample Method : SOP Client Method**

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0217g	Extraction date: 08/15/24 12:24:31	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07674550L Instrument Used : DA-GCMS-003 Analyzed Date : 08/15/24 12:28:14	Reviewed On : 08/15/24 15:19:16 Batch Date : 08/14/24 12:14:21
---	---

Dilution : 1  
 Reagent : 030420.09  
 Consumables : 429659; 315545  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

Healthy Cann

3925 N I-10 Service Rd W Ste 223  
Metairie, LA, 70002, US  
Telephone: (337) 344-1797  
Email: usaoperations@healthycannbr.com

Sample : DA40813012-002  
Harvest/Lot ID: L0724-01

Batch# : L0724-01  
Sampled : 08/13/24  
Ordered : 08/13/24

Sample Size Received : 100 ml  
Total Amount : 250 units  
Completed : 08/16/24 Expires: 08/16/25  
Sample Method : SOP Client Method

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 3390, 4520, 585, 1440 <b>Weight:</b> 0.859g <b>Extraction date:</b> 08/14/24 10:47:08 <b>Extracted by:</b> 4612 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Reviewed On :</b> 08/15/24 14:43:20 <b>Analytical Batch :</b> DA076711MIC <b>Batch Date :</b> 08/14/24 08:19:40 <b>Instrument Used :</b> PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021 <b>Analyzed Date :</b> 08/14/24 11:43:35 <b>Dilution :</b> 10 <b>Reagent :</b> 071824.42; 071824.53; 070324.R37; 081324.R26; 072424.12 <b>Consumables :</b> 7573003076 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.228g <b>Extraction date:</b> 08/14/24 13:53:42 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA076735MYC <b>Reviewed On :</b> 08/15/24 14:47:48 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 08/14/24 09:27:42 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 081224.R06; 081424.R02; 081424.R01; 080924.R05; 072224.R19; 081424.R03; 081023.01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2015g <b>Extraction date:</b> 08/14/24 09:42:35 <b>Extracted by:</b> 3807,1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA076730HEA <b>Reviewed On :</b> 08/15/24 13:41:37 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 08/14/24 09:13:01 <b>Analyzed Date :</b> 08/14/24 14:33:25 <b>Dilution :</b> 50 <b>Reagent :</b> 080224.R15; 081224.R03; 080924.R04; 081224.R01; 081224.R02; 061724.01; 080524.R24 <b>Consumables :</b> 179436; 021824CH01; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2015g <b>Extraction date:</b> 08/14/24 09:42:35 <b>Extracted by:</b> 3807,1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA076730HEA <b>Reviewed On :</b> 08/15/24 13:41:37 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 08/14/24 09:13:01 <b>Analyzed Date :</b> 08/14/24 14:33:25 <b>Dilution :</b> 50 <b>Reagent :</b> 080224.R15; 081224.R03; 080924.R04; 081224.R01; 081224.R02; 061724.01; 080524.R24 <b>Consumables :</b> 179436; 021824CH01; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
08/16/24



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

.....  
 Alleviate  
 Matrix : Derivative  
 Type: Topical



# Certificate of Analysis

**PASSED**

Healthy Cann

3925 N I-10 Service Rd W Ste 223  
 Metairie, LA, 70002, US  
 Telephone: (337) 344-1797  
 Email: usaoperations@healthycannbr.com

Sample : DA40813012-002  
 Harvest/Lot ID: L0724-01  
 Batch# : L0724-01  
 Sampled : 08/13/24  
 Ordered : 08/13/24

Sample Size Received : 100 ml  
 Total Amount : 250 units  
 Completed : 08/16/24 Expires: 08/16/25  
 Sample Method : SOP Client Method

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 08/14/24 19:01:09	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA076748FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Analyzed Date : 08/14/24 20:04:51

Reviewed On : 08/14/24 20:45:31  
 Batch Date : 08/14/24 18:38:30

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
 08/16/24